
SUPERDRAIN BM

Suditek
Water Technologies



COMMERCIAL DRAINAGE SOLUTIONS



Tel: 0086-592-5220986
Mob: 0086-153 5988 6932
Email: sales@suditek.com

Facebook: @Superdrain
Twitter: @SuperdrainBM
www.suditek.net

Showroom:
Unit 705, No.233, Yuhou Nanli,
Siming Dist., Xiamen 361006, China

INNOVATIVE DRAINAGE SOLUTIONS

TABLE OF CONTENTS

COMPANY INTRODUCTION

- COMPANY PROFILE 01
- THE FACTORY 02
- CERTIFICATE & TEST 03
- BRAND & PRODUCT FEATURES 04

PRODUCT INTRODUCT

- WEDGE WIRE GRATE 05 / 06
  - Wedge Wire Grate
- GRATE & FRAME 07 / 10
  - Sump Grates & Frame
  - Trench Grates & Frame
- SLOT DRAIN SYSTEM 11 / 12
  - SS400X series
- SS TRENCH DRAIN SYSTEM 13 / 18
  - SS200X series
  - Trash Box
  - Heavy Duty Cleanout
- RECESSED MANHOLE COVER 19 / 23
  - Manhole Cover
  - Floor cleanout
- PLASTIC DRAIN SYSTEM 24 / 28
  - PL300X
  - HDPE U Series

COMPANY INTRODUCTION

COMPANY PROFILE

Superdrain is a global innovative supplier of drainage system solutions and products, committed to bringing high-quality drainage solutions, products and service to each city, region and country. We provide competitive, high-quality and reliable products, solutions, and services in the fields of residential drainage, commercial and industrial drainage. We open up cooperation with developers, designers, and distributors to continuously create value for customers, optimize design layout, simplify construction difficulties, and create an excellent drainage solutions. Superdrain adheres to continuous innovation based on customer needs, increases investment in R &D, accumulates knowledge and improve environmental beautification and transformation.


Since 2010, SuperDrain is a service-oriented enterprise with experience in 30+ countries and regions. Based on the past 10 years of production and trade experience, combined with traditional exhibition sales and modern e-commerce platforms, we will further create offline service outlets to form a comprehensive sales network. We will use our own physical enterprises and industrial bases to strictly control material selection, optimize production, store and transport on time, pursue quality, and ensure quality, ensuring the provision of high-quality and excellent products and services to the market.

Superdrain Company adheres to the principle of "technological innovation and management innovation" and adheres to the mission of "quality first, nice service, global brand ". Superdrain people always uphold the business philosophy of "attention, focus, and profession", as well as the professional guidelines of "learning, application, benevolence, competition, and harmony", firmly focusing on the drainage industry.

THE FACTORY







CERTIFICATE & TEST





Suditek
Water Technologies

BRAND & PRODUCT FEATURES


Barrier free - Accessible
Better drainage - Comfortable
Beautiful line - Elegant


WEDGE WIRE GRATE

Wedge wire grating is fabricated from grade - 304 or 316 stainlesssteel material using "V" profile wires, weldedto support bars by electronic fusion at designed slot opening.
Custom design to fit a variety of applications:

- For Catering venues: Hygienic, Safe and Economical
- As Floor Trap/Floor Waste Grating: For that Distinctive and Elegant
- For Internal/External Drain: Safe, Self-Cleaning and Easy Maintenance
- As Doormat: Permanent, Durable and Practical









Specification

Item No.	V-Wire	Support Bar	Side Bar	Sliding Rate*
FW03W	3.0*4.5mm	3*6.2/15mm	-	R9
FW05W	5.0*4.5mm	3*6.2/15mm	-	R9
GW03W	3.0*4.5mm	3*6.2/15mm	3*15mm	R9
HW03W	3.0*4.5mm	3*6.2/15mm	3*10/15/20mm	R9
HW05W	5.0*4.5mm	3*6.2/15mm	3*20/5*20mm	R9
HW05SW	5.0*4.5mm	3*6.2/15mm	3*20/5*20mm	R11
HW08W	8.0*7.0mm	6*9mm	5*20mm	R9


*Standard refer to AS 4586 Slip resistance classification





GRATES & FRAME








Sump Grate & Frame

Item No.	Size
HW&FRC	250*250*25mm / 300*300*25mm / Customized
GM&FRC	250*250*25mm / 300*300*25mm / Customized
TL&FRC	250*250*25mm / 300*300*25mm / Customized

Material:	Stainless steel 304/316
Grate Pattern:	Tile Insert / Wedge Wire / Mesh Grate
Frame:	25*25*3mm (90 Deg Angle bar)
Style:	Cast-in / Built-in









Trench Grate & Frame / Wedge Wire Grate

Item No.	Size (W * L)
HW05W150FRC	150*1000/3000mm
HW05W250FRC	250*1000/3000mm
HW05W300FRC	300*1000/3000mm

Material:	Stainless steel 304/316
Loading Class:	Light Duty
Application:	Pathways , pedestrain areas and comparable surfances e.g.parks , car parks and car parking decks






Trench Grate & Frame / Mesh Grate

Item No.	Size (W * L)
GM03W150FRC	150*1000/3000mm
GM03W250FRC	250*1000/3000mm
GM03W300FRC	300*1000/3000mm

Material:	Stainless steel 304/316
Loading Class:	Light Duty
Application:	Pathways , pedestrain areas and comparable surfances e.g.parks , car parks and car parking decks






SLOT DRAIN SYSTEM


Slotted channels are supplied ex-works in lengths of 1m & 2m/section mm/section. It is designed to be connected with flange and screws. Rubber seal is used to avoid the leak.

Typical Applications: Industrial kitchens in canteens, hospitals, care homes, businesses, catering companies, pubs, restaurants, fast food outlets, cafeterias, abattoirs and meat-processing industry, butcher’ s, drink industry, pharmaceutical industry, cosmetics industry, swimming pools and leisure industry .

Customised solutions upon request
- Customised channel widths
- Material grade 304/316
- Extra-flat models




SS400X Series




Linear-SS4001


Item No.	W * H	L	Depth
SS4001	105*85mm	500~1800mm	70mm
SS4001	120*150mm	500~1800mm	135mm




Branch-SS4002




Corner-SS4003



Trash Box-SS4004



End Cap-SS4005



Outlet-SS4006



Gasket(EPDM)


SS TRENCH DRAIN SYSTEM

The type of drainage finds application of swimming pool, food processing plants(breweries, dairy plants, slaughterhouses), chemical plants, restaurants, hospitals, and the like.


They are also used in the facilities,where the sanitary regulations and technoligical process necessitate making the stainless steel drainage, due to high hygienic requirements.

Customised solutions upon request
- Customised channel widths
- Material grade 316
- Made to Measure

Special: Flanges connected with Rubber Seal to avoid leak




SS200X Series




Linear-SS2001


Item No.	W * H	L	Depth
TR80DE	181*100mm	1000/1500/2000mm	80mm
TR80/100DE	181*100/120mm	1000/1500/2000mm	80/100mm
TR100DE	181*120mm	1000/1500/2000mm	100mm



Corner-S2002




Branch-S2003



Trash Box-S2004

End Cap-S2005










Outlet-S2006



Gasket(EPDM)

DRAINAGE CHANNEL
CHANNEL EDGE FINISHING





The edge finishing should depend on the flooring and water temperature.
We can offer the following options:

Flat base channels		" V " base channels
	1-with Straight Edge (ST)	
	2-with Outer Folded Edge (Standard) (FO)	
	3-with Downaward Edge (DE)	
	4-with Tiling Flange (TF)	
	5-with Wall Flange (WF)	


Application

The type of drainage finds application of swimming pool,food processing plants (breweries, dairy plants,slaughterhouses),chemical plants,restaurants,hospitals,and the like.They are also used in the facilities,where the sanitary regulations and technological process necessitate making the stainless steel drainage,due to high hygienic requirements


GRATE STYLE

Grate	Available Length
Wedge Wire Grate-HW03 / HW05 / HW08 	H:20mm L:500/1000/1500mm
Anti-sliding Grate-HW05S 	H:20mm L:500/1000/1500mm
Tile Insert Grate-TL	H:20mm L:500/1000/1500mm
Ladder Grate-GL 	H:20/25mm L:500/1000/1500mm
Mesh Grate-GM 	H:20/25mm L:500/1000/1500mm


* Customised design is available, pls provide the details or drawing.



TBS250WW



TBS250GM



TBS250TL

Trash Box

Item No.	Size	Outlet
TBS200	200*200mm	76 /108mm
TBS250	250*250mm	76 /108mm
TBS300	300*300mm	108 /159mm


Material: Stainless steel 304/316


Finish: Polish / Satin / Electric Polished


Color: Stainless


Grate Pattern: Tile Insert / Wedge Wire Grate / Anti-sliding Grate
Ladder Grate / Mesh Grate for option
(see page 14)

Application: Pathways , pedestrain areas and comparable surfances
e.g.parks , car parks and car parking decks










Floor Clean Out


Item No.	Grate Style	Size	Outlet
CFH-150A	Anti-Sliding	150*150mm	75 mm
CFH-150S	Smooth	150*150mm	75 mm

Material: Stainless steel 304/316

Loading Class: Heavy Duty


Application: Pathways , pedestrain areas and comparable surfances
e.g.parks , car parks and car parking decks





RECESSED MANHOLE COVER








Double Seal Recessed Manhole Cover (T shape)

Item No.	Clear Opening	Depth
MHD-600	600*600mm	125mm
MHD-800	800*800mm	125mm
MHD-900	900*900mm	125mm

Material:	Stainless steel 304/316 , 5.0mm THK
Finish:	Satin
Loading Class:	Middle Duty
Application:	Pathways , pedestrain areas and comparable surfances e.g.parks , car parks and car parking decks










Recessed Manhole Cover (T shape)


Item No.	Clear Opening	Depth
MHA-600	600*600mm	90mm
MHA-800	800*800mm	90mm
MHA-900	900*900mm	90mm

Material:	Stainless steel 304/316 , 3.0/5.0mm THK
Finish:	Satin
Loading Class:	Light Duty
Application:	Pathways , pedestrain areas and comparable surfances e.g.parks , car parks and car parking decks












Recessed Manhole Cover (L shape)


Item No.	Size	Depth
MHL-600	600*600*90mm	77mm
MHL-800	800*800*90mm	77mm
MHL-900	900*900*90mm	77mm

Material:	Stainless steel 304/316 , 5.0mm THK
Finish:	Satin
Loading Class:	Middle Duty
Application:	Pathways , pedestrain areas and comparable surfances e.g.parks , car parks and car parking decks











Recessed Manhole Cover

Item No.	Size
MHG-600	600*600*100mm
MHG-800	800*800*100mm
MHG-900	900*900*100mm

Material:	Stainless steel 304/316 , 3.0/5.0mm THK
Finish:	Satin
Loading Class:	Light Duty
Application:	Pathways , pedestrain areas and comparable surfances e.g.parks , car parks and car parking decks





PL300X Series





Linear

Item No.	Grate	Base	W * H * L	Loading Class
PL3010	PP	PP	125*80*1000mm	A15
PL3020	Galvanized	PP	125*80*1000mm	A15
PL3030	Slot style	PP	125*80*1000mm	A15



End Cap-PL3003



Square Hub-PL3004



Leaf Guard-PL3005



Outlet-PL3006




HDPE DRAIN SYSTEM


The PVC channel is desigend for the demand for economic but effective surface drainage system. It is developed for the safe and attactive drainage of patios, driveways, and other paved surfaces.


Typical Applications
-Garages
-Patios
-Driveways
-Pedestrian Area



HDPE Linear Channel







Item No.	IW * IH * IL	W * H * L
HU1000	100*45*1000mm	145*80*1000mm
HU1010	100*100*1000mm	150*130*1000mm
HU1020	100*150*1000mm	150*190*1000mm
HU1500	150*150*1000mm	215*195*1000mm
HU2000	200*200*1000mm	270*240*1000mm
HU2010	200*250*1000mm	250*300*1000mm
HU2500	250*250*1000mm	310*305*1000mm
HU3000	300*300*1000mm	360*360*1000mm
HU4000	400*400*1000mm	475*450*1000mm
HU5000	500*500*1000mm	575*550*1000mm

Grate Option



SS Mid- slot Grate



SS Side- slot Grate




HDPE black grate



HDPE side slot with ss bar



HDPE iron grate



HDPE green mesh grate

Catch Basin

Item# HU250
Low Profile Catch Basin with with Flexible Pipe 2"
Size: 10 inch*10 inch





Item# HU300
Catch Basin Kit with Debris Basket and Grating
Size: 12 inch*12 inch



